



POLICON
Engineering & Manufacturing

Jam station


Jam station

Entering liquid fillers (jam, caramel, topping) or decorating with cake dispensers, packers like FILMARK, ICEPACK, ORION, etc.



Features:

- High accuracy of dosing with the possibility of smooth correction of the dose simultaneously in all streams;
- The design includes a mixer that provides homogeneity of the product
- Quick-dissolving and easy-to-clean product lines.



Technical specifications:

| | |
|---|------------|
| Dosing Method | volumetric |
| Volume of the reserve tank, l | 100 |
| Electric power, V / Hz | 380 / 50 |
| Adjustable dose volume, ml per serving | up to 170 |
| Performance, max: | |
| cycles / hour | 1 800 |
| number of doses / cycle | up to 6 |
| Installed power of the electric motor, kW | 0,25 |
| Weight, kg, no more | 120 |
| Number of operators | 1 operator |

This product can be manufactured according to the technical specifications of the customer, taking into account its predetermined parameters and features.

Food Machinery

Machinery for tires, rubber, plastics manufacturing

Modernization and automation of production

Non-standart equipment

Production of spare parts, components, assemblies

**Outsourcing services - repair and maintenance of
equipment**

Global engineering solutions



Policon JSCo

194 Lermontov Str, Omsk 644009, Russia

Tel./Fax: +7 (3812) 36 74 12, 36 74 02, 48 48 30

e-mail: info@policon-rt.ru

www.policon-rt.ru