




POLICON
Engineering & Manufacturing

Pencil filler group

Pencil filler group

Pencil filler group is intended for introducing jam or similar liquid fillers into ice cream and forming them inside as a rod. Pencil filler group can be used as a stand-alone device, or installed on filling machines such as OLV-2, popsicle generator, etc.



Features:

- high accuracy of dosing with the possibility of smooth correction of the dose
- dosing while the needle is moving up
- feeding jam by gravity or pump (depending on the filling machine)



Technical specifications:

| | |
|---------------------------|------------|
| Dosing Method..... | volumetric |
| Dosing error, max,% | 2 |
| Dose volume, ml | 5 - 15 |
| Air pressure, MPa | 0,4 - 0,6 |
| Performance max: | |
| cycles / hour | up to 2000 |
| number of doses..... | up to 12 |
| Number of operators | 1 operator |

This product can be manufactured according to the technical specifications of the customer, taking into account its predetermined parameters and features.

Food Machinery

Machinery for tires, rubber, plastics manufacturing

Modernization and automation of production

Non-standart equipment

Production of spare parts, components, assemblies

**Outsourcing services - repair and maintenance of
equipment**

Global engineering solutions



Policon JSCo

194 Lermontov Str, Omsk 644009, Russia

Tel./Fax: +7 (3812) 36 74 12, 36 74 02, 48 48 30

e-mail: info@policon-rt.ru

www.policon-rt.ru