



POLICON
Engineering & Manufacturing

Pencil filler

Pencil filler

Pencil filler is intended for introducing jam or similar liquid fillers into ice cream and forming them inside as a rod. Pencil filler can be used as a stand-alone device, or installed on filling machines such as “Fillmark”, “Expert” and their analogues.



Features:

- high accuracy of dosing with the possibility of smooth correction of the dose
- dosing while the needle is moving up
- feeding jam by gravity or pump (depending on the filling machine)



Technical specifications:

Dosing Method.....	volumetric
Dosing error, max,%	2
Dose volume, ml	5 - 15
Air pressure, MPa	0.4 - 0.6
Performance, max:	
doses / hour	2 000
Number of operators	1 operator

This product can be manufactured according to the technical specifications of the customer, taking into account its predetermined parameters and features.

Food Machinery

Machinery for tires, rubber, plastics manufacturing

Modernization and automation of production

Non-standart equipment

Production of spare parts, components, assemblies

**Outsourcing services - repair and maintenance of
equipment**

Global engineering solutions



Policon JSCo

194 Lermontov Str, Omsk 644009, Russia

Tel./Fax: +7 (3812) 36 74 12, 36 74 02, 48 48 30

e-mail: info@policon-rt.ru

www.policon-rt.ru