



POLICON
Engineering & Manufacturing

***Equipment for
rolling bags
with carbon black***


Equipment is designed for rolling bags with carbon black.



Features:

- provides a more stable (close to the parallelepiped) shape of the bag.
- stronger compaction of the carbon black.
- the ability to vary the speed of movement of conveyors independently of each other.
- possibility to adjust the height of the sealed bag.

Equipment for rolling bags with carbon black



Technical Specification:

The thickness of the bag with carbon black, mm	140
- 180	
Feed height, mm	450 ± 50
Exit height, mm	1 050 ± 50
Rolling speed, m / sec, not less	0,25
Conveyor capacity, t / hour	12
Temperature of the transported cargo, OS	from -30 to +80
Ambient temperature, OS	from -30 to +30
Working hours, hour / day	16
The number of inclusions per hour	16
Current supplying the drive networks	
voltage, V	380
frequency, Hz	50
Total power consumption, kW	2,6

This product can be manufactured according to the technical specifications of the customer, taking into account its predetermined parameters and features.

Full cycle engineering services

Food Machinery

Machinery for tires, rubber, plastics manufacturing

Machinery for the chemical and oil and gas industry


Machinery for the perfumery and cosmetic industry

Modernization and automation of production

Non-standart equipment

Production of spare parts, components, assemblies

Outsourcing services - repair and maintenance of equipment



Policon JSCo

194 Lermontov Str, Omsk 644009, Russia

Tel./Fax: +7 (3812) 36 74 12, 36 74 02, 48 48 30

e-mail: info@policon-rt.ru

www.policon-rt.ru