




POLICON
Engineering & Manufacturing

***Equipment for
cutting metal cord frame
(Model AMK-0)***

Equipment for cutting metal cord frame (Model AMK-0)


The equipment is designed to produce a continuous metal cord strip the frame of cargo radial tires up to 870 mm wide and side belts by cutting the metal cord web into billets on a guillotine type cutting machine.



Features:

- The accuracy of cutting workpieces 1 mm
- Guillotine type cutting machine with hydraulic drive.
- Modern control system using a controller that allows you to implement various service functions: fault display with the allocation of graphical information on the display
- Pneumatic equipment from FESTO, CAMOZZI, SMC.

Equipment for cutting metal cord frame (Model AMK-0)





Technical Specification:

| | |
|---|-----------|
| Productivity, cutting speed/min | 4 - 6 |
| Cutting accuracy of workpieces, mm | ±1 |
| The angle of cutting, degrees | 90 |
| Installed power of electric motors, kW, no more | 20 |
| Air pressure in the system, MPa, within | 0,4 – 0,6 |
| Overall dimensions, mm: | |
| length | 7500 |
| width | 6500 |
| height | 2200 |
| Weight, kg, no more | 8500 |

This product can be manufactured according to the technical specifications of the customer, taking into account its predetermined parameters and features.

Full cycle engineering services

Food Machinery

Machinery for tires, rubber, plastics manufacturing

Machinery for the chemical and oil and gas industry


Machinery for the perfumery and cosmetic industry

Modernization and automation of production

Non-standart equipment

Production of spare parts, components, assemblies

Outsourcing services - repair and maintenance of equipment



Policon JSCo

194 Lermontov Str, Omsk 644009, Russia

Tel./Fax: +7 (3812) 36 74 12, 36 74 02, 48 48 30

e-mail: info@policon-rt.ru

www.policon-rt.ru