



POLICON
Engineering & Manufacturing

Transport trolley

Transport trolley

Transport trolley is intended for laying, storage, and transportation of preparations of protectors, sidewalls, etc. in tire production.



Features:

- has a reliable mechanism for fixing the shelves.
- has maneuverability and ease of movement.

Technical Specification:

Name of the parameter	Model	
	TK-3240	TK-3700
Shelf length, mm	3 240	3 700
Width of the shelf,	900	900
Number of shelves	14	14
The distance between the shelves, mm	66	66
Overall dimensions, mm		
length	4 095	4 555
width	1 028	1 028
height	1 840	1 840
Weight, kg	737	786

This product can be manufactured according to the technical specifications of the customer, taking into account its predetermined parameters and features.

Full cycle engineering services

Food Machinery

Machinery for tires, rubber, plastics manufacturing

Machinery for the chemical and oil and gas industry


Machinery for the perfumery and cosmetic industry

Modernization and automation of production

Non-standart equipment

Production of spare parts, components, assemblies

Outsourcing services - repair and maintenance of equipment



Policon JSCo

194 Lermontov Str, Omsk 644009, Russia

Tel./Fax: +7 (3812) 36 74 12, 36 74 02, 48 48 30

e-mail: info@policon-rt.ru

www.policon-rt.ru