


Tensometric hopper weigher for bulk ingredients (Model VTK)


Acceptance and weighing of powder and granular materials in the preparatory production of tire, cable, asbestos factories and rubber products factories.




Features:

- high accuracy of weighing
- stainless steel cargo receiving device
- weighing control system based on a programmable controller
- software elimination of the influence of vibrations of the load receiving device.







Technical Specification:

Type of scalestationary
Accuracy class0,25
Compressed air pressure in the pneumatic system, MPa
Operating temperature range, C 10 + 50
Power supply:
currentconstant

Parameter Name	Model				
	VTK-5	VTK-10	VTK-20	VTK-80	VTK-200
Weighed material on the scales	Powder and granular with $\gamma = 0.2-0.8 \text{ t/m}3$	Powder and granular with $\gamma = 0.2-0.8 \text{ t/m}3$	Powder and granular with $\gamma = 0.2-0.8 \text{ t/m}3$	Carbon black	Granules of rubber compound γ = 0,5 t / m3
Maximum weighing limit, kg,	5	10	20	80	200
Number of weight sensors	1	1	1	3	3
Overall dimensions, mm, no more: length width height	890 890 800	920 950 1000	1 020 910 1 010	1 500 1 500 1 400	1 500 1 400 1 390
Weight, kg, no more	187	192	270	450	500

This product can be manufactured according to the technical specifications of the customer, taking into account its predetermined parameters and features.

Full cycle engineering services

Food Machinery

Machinery for tires, rubber, plastics manufacturing

Machinery for the chemical and oil and gas industry


Machinery for the perfumery and cosmetic industry

Modernization and automation of production

Non-standart equipment

Production of spare parts, components, assemblies

Outsourcing services - repair and maintenance of equipment



Policon JSCo 194 Lermontov Str, Omsk 644009, Russia Tel./Fax: +7 (3812) 36 74 12, 36 74 02, 48 48 30 e-mail: info@policon-rt.ru www.policon-rt.ru